MULTIMEDIA **UNIVERSITY**

MULTIMEDIA UNIVERSITY

FINAL EXAMINATION

TRIMESTER 2, 2015/2016 SESSION

BMS2024 - ADVANCED MANAGERIAL STATISTICS
(All Sections / Groups)

11 March 2016
9am – 11am
(2 Hours)

INSTRUCTIONS TO STUDENTS

1. This question paper consists of 8 pages **excluding** the cover page. The statistical tables consist of 9 pages.

2. This question paper consists of **FOUR** structured questions. Attempt **ALL** questions.

3. Students are allowed to use non-programmable scientific calculators with no restrictions.

4. Statistical tables are attached at the end of the question paper.

5. Please use **pen** to write the answers.

6. Please write all your answers in the answer booklet provided.

QUESTION 1

The industrial light bulbs in a warehouse have been found to have a mean lifetime of 1030 hours with a standard deviation of 90 hours. The warehouse manager has been approached by a representative of Bright-Lite Inc., a company that makes a device intended to increase the average life of a bulb. The manager is concerned that the average lifetime of the light bulb, might not be any greater than the 1030 hours, which was historically experienced. In a subsequent test, the manager tests 40 bulbs equipped with the device and finds their mean life to be 1061.60 hours.

Based on the above, answer the following:

a) Establish the null and alternative hypotheses.   [2 marks]

b) Compute the test-statistic and the p-value of the test.
Explain the results at the 5% level of significance?   [5 marks]

c) State and discuss the Type I error.   [4 marks]

d) State and discuss the Type II error.   [4 marks]

e) Define the power of the statistical test.   [3 marks]

f) For the given sample size, if the probability of the Type I error is decreased, what is the effect on the probability of a Type II error?   [2 marks]

g) If the sample size is increased, what is the effect on the Type II error?   [2 marks]

h) Can both errors be eliminated? Justify your answer.   [3 marks]

[Total : 25 Marks]

QUESTION 2

Two computer software packages, namely, EOQ and ROP, are being considered for use in the inventory control department of a small manufacturing firm. The firm has selected 12 different computing tasks that are typical of the kind of jobs such a package would have to perform. It then recorded, the number of seconds each package was required to complete each task. At the 0.10 level of significance, can we conclude that the median difference in the time required for the software packages for the population of such tasks is zero? The data are shown below.

Continued...

Time Required for Software Package

Computing Task	EOQ	ROP
A	24	23
B	17	20
C	22	18
D	24	21
E	38	42
F	31	36
G	15	22
H	37	40
I	18	26
J	16	16
K	29	35
L	20	26

a) Are the data in the table above, related or unrelated samples? Explain.   [3 marks]

b) Between parametric and nonparametric, which statistical testing method is more suitable? Explain.   [3 marks]

c) Conduct the appropriate statistical testing method. Be sure to show all steps and calculations.   [19 marks]

[Total : 25 Marks]

QUESTION 3

Eco-City, a property developer who specializes in premium properties is considering purchasing a large tract of land adjoining a lake. The current owner of the tract had already subdivided the land into separate building lots. The developer wants to forecast the value of each lot, and she knows that the most important factors affecting the price of a lot are its size, the number of mature trees, and the distance to the lake. From a nearby area, she gathers the relevant data for 60 recently sold lots and generates a computer printout with the following results.

Continued...

1	SUMMARY OUTPUT					
2						
3	**Regression Statistics**					
4	Multiple R	0.4924				
5	R Square	0.2425				
6	Adjusted R Square	0.2019				
7	Standard Error	40.24				
8	Observations	60				
9						
10	**ANOVA**					
11		**df**	**SS**	**MS**	**F**	**Sig. F**
12	Regression	3	29,030	9,677	5.97	0.0013
13	Residual	56	90,694	1,620		
14	Total	59	119,724			
15						
16		**Coefficients**	**Standard Error**	**t Stat**	**p-value**	
17	Intercept	51.39	23.52	2.19	0.0331	
18	Lot size	0.700	0.559	1.25	0.2156	
19	Trees	0.679	0.229	2.96	0.0045	
20	Distance	-0.378	0.195	-1.94	0.0577	

Based on the above computer printout, answer the following questions :

a) Develop a multiple regression model for the estimated forecast value of a lot based on the lot size, trees, and distance to the lake. [4 marks]

b) What is the coefficient of determination? Interpret this statistic. [3 marks]

c) What is the coefficient of determination, adjusted for degrees of freedom? Why does this value differ from the coefficient of determination? [3 marks]

d) Test the validity of the model. Interpret the p-value of the test statistic? [3 marks]

e) Explain each of the regression coefficients ? [6 marks]

f) Test to determine whether each of the independent variables is linearly related to the price of the lot in the model? [6 marks]

[Total : 25 marks]

Continued...

QUESTION 4

The receipt of spam mail is the price we pay for being able to easily communicate by e-mail. In a preliminary study, university professors, administrators, and students were randomly sampled. Each person was asked to count the number of spam messages received on a particular day. The data in the table below represents the number of spam received by the different university communities. Using $\alpha = 0.05$, analyse the data using the correct statistical procedure.

Professors	Administrators	Students
7	5	12
4	9	4
0	12	5
3	16	18
18	10	15

Summary Output

Groups	Count	Sum	Mean	Variance
Professors	5	32	6.4	48.3
Administrators	5	52	10.4	16.3
Students	5	54	10.8	37.7

ANOVA

Source of Variation	SS	df	MS	F
Among Groups	59.2	2	29.6	0.87
Within Groups	409.2	12	34.1	
Total	468.2	14		

a) State the required conditions or assumptions for the ANOVA test to be conducted?

[3 marks]

b) What kind of ANOVA will be appropriate for this study? What are the dependent variable and the independent variables (factors) that need to be identified? Conduct an appropriate statistical procedure in testing the difference in the mean number of spam received by the three different university communities?

[10 marks]

c) Conduct the Tukey-Kramer post-hoc test to examine if there is a significant change in the number of spam based on the different university communities.

[12 marks]

[Total : 25 marks]

End of Page

STATISTICAL FORMULAE

A. DESCRIPTIVE STATISTICS

$$\text{Sample Mean} = \overline{X} = \frac{\sum\limits_{i=1}^{n} X_i}{n} \qquad \text{Sample Standard Deviation} = s = \sqrt{\frac{\sum\limits_{i=1}^{n} X_i^2}{n-1} - \frac{\left(\sum\limits_{i=1}^{n} X_i\right)^2}{n(n-1)}}$$

where   n = number of observations
* X_i = the i^{th} observation of the data*

B. HYPOTHESIS TESTING

Types of Error
Type I Error = α = P(Rejecting H_0 | H_0 is true) where, Confidence Interval = $1 - \alpha$
Type II Error = β = P(Not Rejecting H_0 | H_0 is false)

One Sample Mean Test	
σ Known	**σ Unknown**
$$z = \frac{\overline{x} - \mu}{\sigma / \sqrt{n}}$$	$$t = \frac{\overline{x} - \mu}{s / \sqrt{n}}$$
Two Sample Mean Test	
Comparing Means for Two Independent Populations	
[Standard Deviation (σ) Known] $$z = \frac{(\overline{x_1} - \overline{x_2}) - (\mu_1 - \mu_2)}{\sqrt{\sigma_1^2 / n_1 + \sigma_2^2 / n_2}}$$	[Standard Deviation (σ) Not Known] $$t = \frac{\overline{(x_1 - x_2)} - (\mu_1 - \mu_2)}{\sqrt{S_p^2 \left(1/n_1 + 1/n_2\right)}}$$ where $s_p^2 = \dfrac{(n_1 - 1)S_1^2 + (n_2 - 1)S_2^2}{(n_1 + n_2 - 2)}$

Two Sample Mean Test
Comparing Means for Two Paired Populations
$t = \dfrac{\left(\overline{D} - \mu_D\right)}{S_D / \sqrt{n}}$ where $\overline{D} = \dfrac{\sum\limits_{i=1}^{n} D_i}{n}$ and $S_D = \sqrt{\dfrac{\sum\limits_{i=1}^{n} D_i^2}{n-1} - \dfrac{\left(\sum\limits_{i=1}^{n} D_i\right)^2}{n(n-1)}}$

Non-Parametric Analysis	
Wilcoxon Rank Sum Test	**Wilcoxon Signed Rank Sum Test**
$Z = \dfrac{\left(T_1 - \mu_{T_1}\right)}{\sigma_{T_1}}$　　where	$Z = \dfrac{\left(T_+ - \mu_{T_+}\right)}{\sigma_{T_+}}$　　where
$\mu_{T1} = \dfrac{n_1(n+1)}{2}$　　and	$\mu_{T+} = \dfrac{n(n+1)}{4}$　　and
$\sigma_{T_1} = \sqrt{\dfrac{n_1 n_2 (n+1)}{12}}$　where $n = n_1 + n_2$	$\sigma_{T_+} = \sqrt{\dfrac{n(n+1)(2n+1)}{24}}$

Kruskal-Wallis Rank Test
$H = \left[\dfrac{12}{n(n+1)} \displaystyle\sum_{j=1}^{c} \dfrac{T_j^2}{n_j} \right] - 3(n+1)$　where the critical value is χ^2 with $df = c - 1$
Check ranking sum: $\sum T_j = n(n+1)/2$

Chi-Square Test
$\chi^2 = \displaystyle\sum^{n} \dfrac{(O-E)^2}{E}$
where O = Frequency of Observed Values　　*and*　　*E = Frequency of Expected Values*
with df = c − 1　　*where c = number of categories* *or* *with df = (r − 1)(c − 1)　where r = number of rows and c = number of columns*

C.　ANALYSIS OF VARIANCE (ANOVA)

One-Way ANOVA				
Source	**Degrees of Freedom**	**Sum of Squares**	**Mean Squares**	**F-statistic**
Among Groups	$c - 1$	SSA	MSA = SSA/c-1	MSA/MSW
Within Groups	$n - c$	SSW	MSW = SSW/n-c	
Total	$n - 1$	SST		

$$SST = \sum_{j=1}^{c} \sum_{i=1}^{n_j} \left(X_{ij} - \overline{\overline{X}} \right)^2 \quad \text{or alternative formula:} \qquad SST = \left(\sum_{j=1}^{c} \sum_{i=1}^{n_i} X_{ij}^2 \right) - \frac{\left(\sum_{j=1}^{c} \sum_{i=1}^{n_i} X_{ij} \right)^2}{n}$$

$$SSA = \sum_{j=1}^{c} n_j \left(\overline{X}_j - \overline{\overline{X}} \right)^2 \quad \text{and} \quad SSW = SST - SSA$$

where n = number of observations, c = number of groups and $\overline{\overline{X}}$ = overall mean

---

Tukey-Kramer Procedure

$$\text{Critical Range} = Q_U \sqrt{\frac{MSW}{2} \left[\frac{1}{n_i} + \frac{1}{n_j} \right]}$$

where Q_u = the upper tail critical value from a Studentized Range Distribution having (c) degrees of freedom in the numerator and (n – c) degrees of freedom in the denominator at a given level of significance

---

Two-Way ANOVA

Source	Degrees of Freedom	Sum of Squares	Mean Squares	F-statistic
A	$r - 1$	SSA	MSA = SSA/$(r - 1)$	MSA / MSE
B	$c - 1$	SSB	MSB = SSB/$(c - 1)$	MSB / MSE
AB	$(r - 1)(c - 1)$	SSAB	MSAB = SSAB/$(r - 1)(c - 1)$	MSAB / MSE
Error	$rc (n - 1)$	SSE	MSE = SSE/ $rc(n' - 1)$	
Total	$n - 1$	SST		

where,

Factor A levels are represented by the rows and Factor B levels are represented by the columns and
n = number of observations
c = number of columns
r = number of rows
n' = number of replicates

$$SST = \sum_{i=1}^{r} \sum_{j=1}^{c} \sum_{k=1}^{n'} \left(X_{ijk} - \overline{\overline{X}} \right)^2 \qquad\qquad SSA = cn' \sum_{i=1}^{r} \left(\overline{X}_i - \overline{\overline{X}} \right)^2$$

$$SSB = rn' \sum_{j=1}^{c} \left(\overline{X}_j - \overline{\overline{X}} \right)^2 \qquad\qquad \text{where } \overline{\overline{X}} = \text{overall mean}$$

$$SSE = (n'-1)\left[S_1^2 + S_2^2 + \dots + S_k^2 \right] \qquad \text{where } S_i^2 = \text{variance of each block}$$

D.   REGRESSION ANALYSIS

Multiple Linear Regression

Population Model: $Y = \beta_0 + \beta_1 X_1 + \beta_2 X_2 + \ldots\ldots + \beta_k X_k + \varepsilon$

Sample Model: $\hat{y} = b_0 + b_1 x_1 + b_2 x_2 + \ldots\ldots + b_k x_k + e$

Adjusted R-Square $= 1 - \left[\dfrac{(1 - R^2)(n - 1)}{(n - p - 1)} \right]$ where p = number of independent/predictor variables

ANOVA Table for Regression

Source	Degrees of Freedom	Sum of Squares	Mean Squares
Regression	p	SSR	MSR = SSR/p
Error/Residual	$n - p - 1$	SSE	MSE = SSE/$(n - p - 1)$
Total	$n - 1$	SST	

Test Statistic for Significance of the Overall Regression Model
F = MSR/MSE

Test Statistic for Significance of Each Predictor Variable

$t_i = \dfrac{b_i}{S_{b_i}}$ and the critical value $= \pm t_{\alpha/2,(n-p-1)}$

TABLE 4. THE NORMAL DISTRIBUTION FUNCTION

he function tabulated is $\Phi(x) = \dfrac{1}{\sqrt{2\pi}} \displaystyle\int_{-\infty}^{x} e^{-\frac{1}{2}t^2}\, dt$. $\Phi(x)$ is

e probability that a random variable, normally distributed
ith zero mean and unit variance, will be less than or equal
 x. When $x < 0$ use $\Phi(x) = 1 - \Phi(-x)$, as the normal
stribution with zero mean and unit variance is symmetric
)out zero.

x	$\Phi(x)$	x	$\Phi(x)$	x	$\Phi(x)$	x	$\Phi(x)$	x	$\Phi(x)$	x	$\Phi(x)$
0·00	0·5000	0·40	0·6554	0·80	0·7881	1·20	0·8849	1·60	0·9452	2·00	0·97725
·01	·5040	·41	·6591	·81	·7910	·21	·8869	·61	·9463	·01	·97778
·02	·5080	·42	·6628	·82	·7939	·22	·8888	·62	·9474	·02	·97831
·03	·5120	·43	·6664	·83	·7967	·23	·8907	·63	·9484	·03	·97882
·04	·5160	·44	·6700	·84	·7995	·24	·8925	·64	·9495	·04	·97932
0·05	0·5199	0·45	0·6736	0·85	0·8023	1·25	0·8944	1·65	0·9505	2·05	0·97982
·06	·5239	·46	·6772	·86	·8051	·26	·8962	·66	·9515	·06	·98030
·07	·5279	·47	·6808	·87	·8078	·27	·8980	·67	·9525	·07	·98077
·08	·5319	·48	·6844	·88	·8106	·28	·8997	·68	·9535	·08	·98124
·09	·5359	·49	·6879	·89	·8133	·29	·9015	·69	·9545	·09	·98169
0·10	0·5398	0·50	0·6915	0·90	0·8159	1·30	0·9032	1·70	0·9554	2·10	0·98214
·11	·5438	·51	·6950	·91	·8186	·31	·9049	·71	·9564	·11	·98257
·12	·5478	·52	·6985	·92	·8212	·32	·9066	·72	·9573	·12	·98300
·13	·5517	·53	·7019	·93	·8238	·33	·9082	·73	·9582	·13	·98341
·14	·5557	·54	·7054	·94	·8264	·34	·9099	·74	·9591	·14	·98382
0·15	0·5596	0·55	0·7088	0·95	0·8289	1·35	0·9115	1·75	0·9599	2·15	0·98422
·16	·5636	·56	·7123	·96	·8315	·36	·9131	·76	·9608	·16	·98461
·17	·5675	·57	·7157	·97	·8340	·37	·9147	·77	·9616	·17	·98500
·18	·5714	·58	·7190	·98	·8365	·38	·9162	·78	·9625	·18	·98537
·19	·5753	·59	·7224	·99	·8389	·39	·9177	·79	·9633	·19	·98574
0·20	0·5793	0·60	0·7257	1·00	0·8413	1·40	0·9192	1·80	0·9641	2·20	0·98610
·21	·5832	·61	·7291	·01	·8438	·41	·9207	·81	·9649	·21	·98645
·22	·5871	·62	·7324	·02	·8461	·42	·9222	·82	·9656	·22	·98679
·23	·5910	·63	·7357	·03	·8485	·43	·9236	·83	·9664	·23	·98713
·24	·5948	·64	·7389	·04	·8508	·44	·9251	·84	·9671	·24	·98745
0·25	0·5987	0·65	0·7422	1·05	0·8531	1·45	0·9265	1·85	0·9678	2·25	0·98778
·26	·6026	·66	·7454	·06	·8554	·46	·9279	·86	·9686	·26	·98809
·27	·6064	·67	·7486	·07	·8577	·47	·9292	·87	·9693	·27	·98840
·28	·6103	·68	·7517	·08	·8599	·48	·9306	·88	·9699	·28	·98870
·29	·6141	·69	·7549	·09	·8621	·49	·9319	·89	·9706	·29	·98899
0·30	0·6179	0·70	0·7580	1·10	0·8643	1·50	0·9332	1·90	0·9713	2·30	0·98928
·31	·6217	·71	·7611	·11	·8665	·51	·9345	·91	·9719	·31	·98956
·32	·6255	·72	·7642	·12	·8686	·52	·9357	·92	·9726	·32	·98983
·33	·6293	·73	·7673	·13	·8708	·53	·9370	·93	·9732	·33	·99010
·34	·6331	·74	·7704	·14	·8729	·54	·9382	·94	·9738	·34	·99036
0·35	0·6368	0·75	0·7734	1·15	0·8749	1·55	0·9394	1·95	0·9744	2·35	0·99061
·36	·6406	·76	·7764	·16	·8770	·56	·9406	·96	·9750	·36	·99086
·37	·6443	·77	·7794	·17	·8790	·57	·9418	·97	·9756	·37	·99111
·38	·6480	·78	·7823	·18	·8810	·58	·9429	·98	·9761	·38	·99134
·39	·6517	·79	·7852	·19	·8830	·59	·9441	·99	·9767	·39	·99158
0·40	0·6554	0·80	0·7881	1·20	0·8849	1·60	0·9452	2·00	0·9772	2·40	0·99180

TABLE 4. THE NORMAL DISTRIBUTION FUNCTION

x	$\Phi(x)$	x	$\Phi(x)$	x	$\Phi(x)$	x	$\Phi(x)$	x	$\Phi(x)$	x	$\Phi(x)$
2·40	0·99180	2·55	0·99461	2·70	0·99653	2·85	0·99781	3·00	0·99865	3·15	0·99918
·41	·99202	·56	·99477	·71	·99664	·86	·99788	·01	·99869	·16	·99921
·42	·99224	·57	·99492	·72	·99674	·87	·99795	·02	·99874	·17	·99924
·43	·99245	·58	·99506	·73	·99683	·88	·99801	·03	·99878	·18	·99926
·44	·99266	·59	·99520	·74	·99693	·89	·99807	·04	·99882	·19	·99929
2·45	0·99286	2·60	0·99534	2·75	0·99702	2·90	0·99813	3·05	0·99886	3·20	0·99931
·46	·99305	·61	·99547	·76	·99711	·91	·99819	·06	·99889	·21	·99934
·47	·99324	·62	·99560	·77	·99720	·92	·99825	·07	·99893	·22	·99936
·48	·99343	·63	·99573	·78	·99728	·93	·99831	·08	·99896	·23	·99938
·49	·99361	·64	·99585	·79	·99736	·94	·99836	·09	·99900	·24	·99940
2·50	0·99379	2·65	0·99598	2·80	0·99744	2·95	0·99841	3·10	0·99903	3·25	0·99942
·51	·99396	·66	·99609	·81	·99752	·96	·99846	·11	·99906	·26	·99944
·52	·99413	·67	·99621	·82	·99760	·97	·99851	·12	·99910	·27	·99946
·53	·99430	·68	·99632	·83	·99767	·98	·99856	·13	·99913	·28	·99948
·54	·99446	·69	·99643	·84	·99774	·99	·99861	·14	·99916	·29	·99950
2·55	0·99461	2·70	0·99653	2·85	0·99781	3·00	0·99865	3·15	0·99918	3·30	0·99952

The critical table below gives on the left the range of values of x for which $\Phi(x)$ takes the value on the right, correct to the last figure given; in critical cases, take the upper of the two values of $\Phi(x)$ indicated.

|							
3·075		3·263	0·9994	3·731	0·99990	3·916	0·99995
3·105	0·9990	3·320	0·9995	3·759	0·99991	3·976	0·99996
3·138	0·9991	3·389	0·9996	3·791	0·99992	4·055	0·99997
3·174	0·9992	3·480	0·9997	3·826	0·99993	4·173	0·99998
3·215	0·9993	3·615	0·9998	3·867	0·99994	4·417	0·99999
	0·9994		0·9999		0·99995		1·00000

When $x > 3·3$ the formula $1-\Phi(x) \doteqdot \dfrac{e^{-\frac12 x^2}}{x\sqrt{2\pi}}\left[1 - \dfrac{1}{x^2} + \dfrac{3}{x^4} - \dfrac{15}{x^6} + \dfrac{105}{x^8}\right]$ is very accurate, with relative error less than $945/x^{10}$.

TABLE 5. PERCENTAGE POINTS OF THE NORMAL DISTRIBUTION

This table gives percentage points $x(P)$ defined by the equation

$$\frac{P}{100} = \frac{1}{\sqrt{2\pi}} \int_{x(P)}^{\infty} e^{-\frac12 t^2}\, dt.$$

If X is a variable, normally distributed with zero mean and unit variance, $P/100$ is the probability that $X \geqslant x(P)$. The lower P per cent points are given by symmetry as $-x(P)$, and the probability that $|X| \geqslant x(P)$ is $2P/100$.

| P	$x(P)$	P	$x(P)$	P	$x(P)$	P	$x(P)$	P	$x(P)$	P	$x(P)$
50	0·0000	5·0	1·6449	3·0	1·8808	2·0	2·0537	1·0	2·3263	0·10	3·0902
45	0·1257	4·8	1·6646	2·9	1·8957	1·9	2·0749	0·9	2·3656	0·09	3·1214
40	0·2533	4·6	1·6849	2·8	1·9110	1·8	2·0969	0·8	2·4089	0·08	3·1559
35	0·3853	4·4	1·7060	2·7	1·9268	1·7	2·1201	0·7	2·4573	0·07	3·1947
30	0·5244	4·2	1·7279	2·6	1·9431	1·6	2·1444	0·6	2·5121	0·06	3·2389
25	0·6745	4·0	1·7507	2·5	1·9600	1·5	2·1701	0·5	2·5758	0·05	3·2905
20	0·8416	3·8	1·7744	2·4	1·9774	1·4	2·1973	0·4	2·6521	0·01	3·7190
15	1·0364	3·6	1·7991	2·3	1·9954	1·3	2·2262	0·3	2·7478	0·005	3·8906
10	1·2816	3·4	1·8250	2·2	2·0141	1·2	2·2571	0·2	2·8782	0·001	4·2649
5	1·6449	3·2	1·8522	2·1	2·0335	1·1	2·2904	0·1	3·0902	0·0005	4·4172

TABLE 8. PERCENTAGE POINTS OF THE χ^2-DISTRIBUTION

This table gives percentage points $\chi^2_\nu(P)$ defined by the equation

$$\frac{P}{100} = \frac{1}{2^{\nu/2}\,\Gamma(\frac{\nu}{2})} \int_{\chi^2_\nu(P)}^{\infty} x^{\frac{1}{2}\nu - 1} e^{-\frac{1}{2}x}\, dx.$$

If X is a variable distributed as χ^2 with ν degrees of freedom, $P/100$ is the probability that $X \geqslant \chi^2_\nu(P)$.

For $\nu > 100$, $\sqrt{2X}$ is approximately normally distributed with mean $\sqrt{2\nu - 1}$ and unit variance.

(The above shape applies for $\nu \geqslant 3$ only. When $\nu < 3$ the mode is at the origin.)

P	50	40	30	20	10	5	2·5	1	0·5	0·1	0·05
$\nu = 1$	0·4549	0·7083	1·074	1·642	2·706	3·841	5·024	6·635	7·879	10·83	12·12
2	1·386	1·833	2·408	3·219	4·605	5·991	7·378	9·210	10·60	13·82	15·20
3	2·366	2·946	3·665	4·642	6·251	7·815	9·348	11·34	12·84	16·27	17·73
4	3·357	4·045	4·878	5·989	7·779	9·488	11·14	13·28	14·86	18·47	20·00
5	4·351	5·132	6·064	7·289	9·236	11·07	12·83	15·09	16·75	20·52	22·11
6	5·348	6·211	7·231	8·558	10·64	12·59	14·45	16·81	18·55	22·46	24·10
7	6·346	7·283	8·383	9·803	12·02	14·07	16·01	18·48	20·28	24·32	26·02
8	7·344	8·351	9·524	11·03	13·36	15·51	17·53	20·09	21·95	26·12	27·87
9	8·343	9·414	10·66	12·24	14·68	16·92	19·02	21·67	23·59	27·88	29·67
10	9·342	10·47	11·78	13·44	15·99	18·31	20·48	23·21	25·19	29·59	31·42
11	10·34	11·53	12·90	14·63	17·28	19·68	21·92	24·72	26·76	31·26	33·14
12	11·34	12·58	14·01	15·81	18·55	21·03	23·34	26·22	28·30	32·91	34·82
13	12·34	13·64	15·12	16·98	19·81	22·36	24·74	27·69	29·82	34·53	36·48
14	13·34	14·69	16·22	18·15	21·06	23·68	26·12	29·14	31·32	36·12	38·11
15	14·34	15·73	17·32	19·31	22·31	25·00	27·49	30·58	32·80	37·70	39·72
16	15·34	16·78	18·42	20·47	23·54	26·30	28·85	32·00	34·27	39·25	41·31
17	16·34	17·82	19·51	21·61	24·77	27·59	30·19	33·41	35·72	40·79	42·88
18	17·34	18·87	20·60	22·76	25·99	28·87	31·53	34·81	37·16	42·31	44·43
19	18·34	19·91	21·69	23·90	27·20	30·14	32·85	36·19	38·58	43·82	45·97
20	19·34	20·95	22·77	25·04	28·41	31·41	34·17	37·57	40·00	45·31	47·50
21	20·34	21·99	23·86	26·17	29·62	32·67	35·48	38·93	41·40	46·80	49·01
22	21·34	23·03	24·94	27·30	30·81	33·92	36·78	40·29	42·80	48·27	50·51
23	22·34	24·07	26·02	28·43	32·01	35·17	38·08	41·64	44·18	49·73	52·00
24	23·34	25·11	27·10	29·55	33·20	36·42	39·36	42·98	45·56	51·18	53·48
25	24·34	26·14	28·17	30·68	34·38	37·65	40·65	44·31	46·93	52·62	54·95
26	25·34	27·18	29·25	31·79	35·56	38·89	41·92	45·64	48·29	54·05	56·41
27	26·34	28·21	30·32	32·91	36·74	40·11	43·19	46·96	49·64	55·48	57·86
28	27·34	29·25	31·39	34·03	37·92	41·34	44·46	48·28	50·99	56·89	59·30
29	28·34	30·28	32·46	35·14	39·09	42·56	45·72	49·59	52·34	58·30	60·73
30	29·34	31·32	33·53	36·25	40·26	43·77	46·98	50·89	53·67	59·70	62·16
32	31·34	33·38	35·66	38·47	42·58	46·19	49·48	53·49	56·33	62·49	65·00
34	33·34	35·44	37·80	40·68	44·90	48·60	51·97	56·06	58·96	65·25	67·80
36	35·34	37·50	39·92	42·88	47·21	51·00	54·44	58·62	61·58	67·99	70·59
38	37·34	39·56	42·05	45·08	49·51	53·38	56·90	61·16	64·18	70·70	73·35
40	39·34	41·62	44·16	47·27	51·81	55·76	59·34	63·69	66·77	73·40	76·09
50	49·33	51·89	54·72	58·16	63·17	67·50	71·42	76·15	79·49	86·66	89·56
60	59·33	62·13	65·23	68·97	74·40	79·08	83·30	88·38	91·95	99·61	102·7
70	69·33	72·36	75·69	79·71	85·53	90·53	95·02	100·4	104·2	112·3	115·6
80	79·33	82·57	86·12	90·41	96·58	101·9	106·6	112·3	116·3	124·8	128·3
90	89·33	92·76	96·52	101·1	107·6	113·1	118·1	124·1	128·3	137·2	140·8
100	99·33	102·9	106·9	111·7	118·5	124·3	129·6	135·8	140·2	149·4	153·2

41

TABLE 10. PERCENTAGE POINTS OF THE t-DISTRIBUTION

This table gives percentage points $t_\nu(P)$ defined by the equation

$$\frac{P}{100} = \frac{1}{\sqrt{\nu\pi}}\frac{\Gamma(\tfrac12\nu+\tfrac12)}{\Gamma(\tfrac12\nu)}\int_{t_\nu(P)}^{\infty}\frac{dt}{(1+t^2/\nu)^{\frac12(\nu+1)}}.$$

Let X_1 and X_2 be independent random variables having a normal distribution with zero mean and unit variance and a χ^2-distribution with ν degrees of freedom respectively; then $t = X_1/\sqrt{X_2/\nu}$ has Student's t-distribution with ν degrees of freedom, and the probability that $t \geqslant t_\nu(P)$ is $P/100$. The lower percentage points are given by symmetry as $-t_\nu(P)$, and the probability that $|t| \geqslant t_\nu(P)$ is $2P/100$.

The limiting distribution of t as ν tends to infinity is the normal distribution with zero mean and unit variance. When ν is large interpolation in ν should be harmonic.

| P	40	30	25	20	15	10	5	2·5	1	0·5	0·1	0·05
$\nu=1$	0·3249	0·7265	1·0000	1·3764	1·963	3·078	6·314	12·71	31·82	63·66	318·3	636·6
2	0·2887	0·6172	0·8165	1·0607	1·386	1·886	2·920	4·303	6·965	9·925	22·33	31·60
3	0·2767	0·5844	0·7649	0·9785	1·250	1·638	2·353	3·182	4·541	5·841	10·21	12·92
4	0·2707	0·5686	0·7407	0·9410	1·190	1·533	2·132	2·776	3·747	4·604	7·173	8·610
5	0·2672	0·5594	0·7267	0·9195	1·156	1·476	2·015	2·571	3·365	4·032	5·893	6·869
6	0·2648	0·5534	0·7176	0·9057	1·134	1·440	1·943	2·447	3·143	3·707	5·208	5·959
7	0·2632	0·5491	0·7111	0·8960	1·119	1·415	1·895	2·365	2·998	3·499	4·785	5·408
8	0·2619	0·5459	0·7064	0·8889	1·108	1·397	1·860	2·306	2·896	3·355	4·501	5·041
9	0·2610	0·5435	0·7027	0·8834	1·100	1·383	1·833	2·262	2·821	3·250	4·297	4·781
10	0·2602	0·5415	0·6998	0·8791	1·093	1·372	1·812	2·228	2·764	3·169	4·144	4·587
11	0·2596	0·5399	0·6974	0·8755	1·088	1·363	1·796	2·201	2·718	3·106	4·025	4·437
12	0·2590	0·5386	0·6955	0·8726	1·083	1·356	1·782	2·179	2·681	3·055	3·930	4·318
13	0·2586	0·5375	0·6938	0·8702	1·079	1·350	1·771	2·160	2·650	3·012	3·852	4·221
14	0·2582	0·5366	0·6924	0·8681	1·076	1·345	1·761	2·145	2·624	2·977	3·787	4·140
15	0·2579	0·5357	0·6912	0·8662	1·074	1·341	1·753	2·131	2·602	2·947	3·733	4·073
16	0·2576	0·5350	0·6901	0·8647	1·071	1·337	1·746	2·120	2·583	2·921	3·686	4·015
17	0·2573	0·5344	0·6892	0·8633	1·069	1·333	1·740	2·110	2·567	2·898	3·646	3·965
18	0·2571	0·5338	0·6884	0·8620	1·067	1·330	1·734	2·101	2·552	2·878	3·610	3·922
19	0·2569	0·5333	0·6876	0·8610	1·066	1·328	1·729	2·093	2·539	2·861	3·579	3·883
20	0·2567	0·5329	0·6870	0·8600	1·064	1·325	1·725	2·086	2·528	2·845	3·552	3·850
21	0·2566	0·5325	0·6864	0·8591	1·063	1·323	1·721	2·080	2·518	2·831	3·527	3·819
22	0·2564	0·5321	0·6858	0·8583	1·061	1·321	1·717	2·074	2·508	2·819	3·505	3·792
23	0·2563	0·5317	0·6853	0·8575	1·060	1·319	1·714	2·069	2·500	2·807	3·485	3·768
24	0·2562	0·5314	0·6848	0·8569	1·059	1·318	1·711	2·064	2·492	2·797	3·467	3·745
25	0·2561	0·5312	0·6844	0·8562	1·058	1·316	1·708	2·060	2·485	2·787	3·450	3·725
26	0·2560	0·5309	0·6840	0·8557	1·058	1·315	1·706	2·056	2·479	2·779	3·435	3·707
27	0·2559	0·5306	0·6837	0·8551	1·057	1·314	1·703	2·052	2·473	2·771	3·421	3·690
28	0·2558	0·5304	0·6834	0·8546	1·056	1·313	1·701	2·048	2·467	2·763	3·408	3·674
29	0·2557	0·5302	0·6830	0·8542	1·055	1·311	1·699	2·045	2·462	2·756	3·396	3·659
30	0·2556	0·5300	0·6828	0·8538	1·055	1·310	1·697	2·042	2·457	2·750	3·385	3·646
32	0·2555	0·5297	0·6822	0·8530	1·054	1·309	1·694	2·037	2·449	2·738	3·365	3·622
34	0·2553	0·5294	0·6818	0·8523	1·052	1·307	1·691	2·032	2·441	2·728	3·348	3·601
36	0·2552	0·5291	0·6814	0·8517	1·052	1·306	1·688	2·028	2·434	2·719	3·333	3·582
38	0·2551	0·5288	0·6810	0·8512	1·051	1·304	1·686	2·024	2·429	2·712	3·319	3·566
40	0·2550	0·5286	0·6807	0·8507	1·050	1·303	1·684	2·021	2·423	2·704	3·307	3·551
50	0·2547	0·5278	0·6794	0·8489	1·047	1·299	1·676	2·009	2·403	2·678	3·261	3·496
60	0·2545	0·5272	0·6786	0·8477	1·045	1·296	1·671	2·000	2·390	2·660	3·232	3·460
120	0·2539	0·5258	0·6765	0·8446	1·041	1·289	1·658	1·980	2·358	2·617	3·160	3·373
∞	0·2533	0·5244	0·6745	0·8416	1·036	1·282	1·645	1·960	2·326	2·576	3·090	3·291

TABLE 12(*a*). 10 PER CENT POINTS OF THE *F*-DISTRIBUTION

The function tabulated is $F(P) = F(P|\nu_1, \nu_2)$ defined by the equation

$$\frac{P}{100} = \frac{\Gamma(\tfrac{1}{2}\nu_1 + \tfrac{1}{2}\nu_2)}{\Gamma(\tfrac{1}{2}\nu_1)\,\Gamma(\tfrac{1}{2}\nu_2)}\,\nu_1^{\frac{1}{2}\nu_1}\,\nu_2^{\frac{1}{2}\nu_2}\int_{F(P)}^{\infty}\frac{F^{\frac{1}{2}\nu_1 - 1}}{(\nu_2 + \nu_1 F)^{\frac{1}{2}(\nu_1 + \nu_2)}}\,dF,$$

for $P = $ 10, 5, 2·5, 1, 0·5 and 0·1. The lower percentage points, that is the values $F'(P) = F'(P|\nu_1, \nu_2)$ such that the probability that $F \leqslant F'(P)$ is equal to $P/100$, may be found by the formula

$$F'(P|\nu_1, \nu_2) = 1/F(P|\nu_2, \nu_1).$$

(This shape applies only when $\nu_1 \geqslant 3$. When $\nu_1 < 3$ the mode is at the origin.)

$\nu_1 =$	1	2	3	4	5	6	7	8	10	12	24	∞
$\nu_2 = $ 1	39·86	49·50	53·59	55·83	57·24	58·20	58·91	59·44	60·19	60·71	62·00	63·33
2	8·526	9·000	9·162	9·243	9·293	9·326	9·349	9·367	9·392	9·408	9·450	9·491
3	5·538	5·462	5·391	5·343	5·309	5·285	5·266	5·252	5·230	5·216	5·176	5·134
4	4·545	4·325	4·191	4·107	4·051	4·010	3·979	3·955	3·920	3·896	3·831	3·761
5	4·060	3·780	3·619	3·520	3·453	3·405	3·368	3·339	3·297	3·268	3·191	3·105
6	3·776	3·463	3·289	3·181	3·108	3·055	3·014	2·983	2·937	2·905	2·818	2·722
7	3·589	3·257	3·074	2·961	2·883	2·827	2·785	2·752	2·703	2·668	2·575	2·471
8	3·458	3·113	2·924	2·806	2·726	2·668	2·624	2·589	2·538	2·502	2·404	2·293
9	3·360	3·006	2·813	2·693	2·611	2·551	2·505	2·469	2·416	2·379	2·277	2·159
10	3·285	2·924	2·728	2·605	2·522	2·461	2·414	2·377	2·323	2·284	2·178	2·055
11	3·225	2·860	2·660	2·536	2·451	2·389	2·342	2·304	2·248	2·209	2·100	1·972
12	3·177	2·807	2·606	2·480	2·394	2·331	2·283	2·245	2·188	2·147	2·036	1·904
13	3·136	2·763	2·560	2·434	2·347	2·283	2·234	2·195	2·138	2·097	1·983	1·846
14	3·102	2·726	2·522	2·395	2·307	2·243	2·193	2·154	2·095	2·054	1·938	1·797
15	3·073	2·695	2·490	2·361	2·273	2·208	2·158	2·119	2·059	2·017	1·899	1·755
16	3·048	2·668	2·462	2·333	2·244	2·178	2·128	2·088	2·028	1·985	1·866	1·718
17	3·026	2·645	2·437	2·308	2·218	2·152	2·102	2·061	2·001	1·958	1·836	1·686
18	3·007	2·624	2·416	2·286	2·196	2·130	2·079	2·038	1·977	1·933	1·810	1·657
19	2·990	2·606	2·397	2·266	2·176	2·109	2·058	2·017	1·956	1·912	1·787	1·631
20	2·975	2·589	2·380	2·249	2·158	2·091	2·040	1·999	1·937	1·892	1·767	1·607
21	2·961	2·575	2·365	2·233	2·142	2·075	2·023	1·982	1·920	1·875	1·748	1·586
22	2·949	2·561	2·351	2·219	2·128	2·060	2·008	1·967	1·904	1·859	1·731	1·567
23	2·937	2·549	2·339	2·207	2·115	2·047	1·995	1·953	1·890	1·845	1·716	1·549
24	2·927	2·538	2·327	2·195	2·103	2·035	1·983	1·941	1·877	1·832	1·702	1·533
25	2·918	2·528	2·317	2·184	2·092	2·024	1·971	1·929	1·866	1·820	1·689	1·518
26	2·909	2·519	2·307	2·174	2·082	2·014	1·961	1·919	1·855	1·809	1·677	1·504
27	2·901	2·511	2·299	2·165	2·073	2·005	1·952	1·909	1·845	1·799	1·666	1·491
28	2·894	2·503	2·291	2·157	2·064	1·996	1·943	1·900	1·836	1·790	1·656	1·478
29	2·887	2·495	2·283	2·149	2·057	1·988	1·935	1·892	1·827	1·781	1·647	1·467
30	2·881	2·489	2·276	2·142	2·049	1·980	1·927	1·884	1·819	1·773	1·638	1·456
32	2·869	2·477	2·263	2·129	2·036	1·967	1·913	1·870	1·805	1·758	1·622	1·437
34	2·859	2·466	2·252	2·118	2·024	1·955	1·901	1·858	1·793	1·745	1·608	1·419
36	2·850	2·456	2·243	2·108	2·014	1·945	1·891	1·847	1·781	1·734	1·595	1·404
38	2·842	2·448	2·234	2·099	2·005	1·935	1·881	1·838	1·772	1·724	1·584	1·390
40	2·835	2·440	2·226	2·091	1·997	1·927	1·873	1·829	1·763	1·715	1·574	1·377
60	2·791	2·393	2·177	2·041	1·946	1·875	1·819	1·775	1·707	1·657	1·511	1·291
120	2·748	2·347	2·130	1·992	1·896	1·824	1·767	1·722	1·652	1·601	1·447	1·193
∞	2·706	2·303	2·084	1·945	1·847	1·774	1·717	1·670	1·599	1·546	1·383	1·000

TABLE 12(b). 5 PER CENT POINTS OF THE F-DISTRIBUTION

If $F = \dfrac{X_1}{\nu_1} \Big/ \dfrac{X_2}{\nu_2}$, where X_1 and X_2 are independent random variables distributed as χ^2 with ν_1 and ν_2 degrees of freedom respectively, then the probabilities that $F \geqslant F(P)$ and that $F \leqslant F'(P)$ are both equal to $P/100$. Linear interpolation in ν_1 and ν_2 will generally be sufficiently accurate except when either $\nu_1 > 12$ or $\nu_2 > 40$, when harmonic interpolation should be used.

(This shape applies only when $\nu_1 \geqslant 3$. When $\nu_1 < 3$ the mode is at the origin.)

$\nu_1 =$	1	2	3	4	5	6	7	8	10	12	24	∞
$\nu_2 = 1$	161·4	199·5	215·7	224·6	230·2	234·0	236·8	238·9	241·9	243·9	249·1	254·3
2	18·51	19·00	19·16	19·25	19·30	19·33	19·35	19·37	19·40	19·41	19·45	19·50
3	10·13	9·552	9·277	9·117	9·013	8·941	8·887	8·845	8·786	8·745	8·639	8·526
4	7·709	6·944	6·591	6·388	6·256	6·163	6·094	6·041	5·964	5·912	5·774	5·628
5	6·608	5·786	5·409	5·192	5·050	4·950	4·876	4·818	4·735	4·678	4·527	4·365
6	5·987	5·143	4·757	4·534	4·387	4·284	4·207	4·147	4·060	4·000	3·841	3·669
7	5·591	4·737	4·347	4·120	3·972	3·866	3·787	3·726	3·637	3·575	3·410	3·230
8	5·318	4·459	4·066	3·838	3·687	3·581	3·500	3·438	3·347	3·284	3·115	2·928
9	5·117	4·256	3·863	3·633	3·482	3·374	3·293	3·230	3·137	3·073	2·900	2·707
10	4·965	4·103	3·708	3·478	3·326	3·217	3·135	3·072	2·978	2·913	2·737	2·538
11	4·844	3·982	3·587	3·357	3·204	3·095	3·012	2·948	2·854	2·788	2·609	2·404
12	4·747	3·885	3·490	3·259	3·106	2·996	2·913	2·849	2·753	2·687	2·505	2·296
13	4·667	3·806	3·411	3·179	3·025	2·915	2·832	2·767	2·671	2·604	2·420	2·206
14	4·600	3·739	3·344	3·112	2·958	2·848	2·764	2·699	2·602	2·534	2·349	2·131
15	4·543	3·682	3·287	3·056	2·901	2·790	2·707	2·641	2·544	2·475	2·288	2·066
16	4·494	3·634	3·239	3·007	2·852	2·741	2·657	2·591	2·494	2·425	2·235	2·010
17	4·451	3·592	3·197	2·965	2·810	2·699	2·614	2·548	2·450	2·381	2·190	1·960
18	4·414	3·555	3·160	2·928	2·773	2·661	2·577	2·510	2·412	2·342	2·150	1·917
19	4·381	3·522	3·127	2·895	2·740	2·628	2·544	2·477	2·378	2·308	2·114	1·878
20	4·351	3·493	3·098	2·866	2·711	2·599	2·514	2·447	2·348	2·278	2·082	1·843
21	4·325	3·467	3·072	2·840	2·685	2·573	2·488	2·420	2·321	2·250	2·054	1·812
22	4·301	3·443	3·049	2·817	2·661	2·549	2·464	2·397	2·297	2·226	2·028	1·783
23	4·279	3·422	3·028	2·796	2·640	2·528	2·442	2·375	2·275	2·204	2·005	1·757
24	4·260	3·403	3·009	2·776	2·621	2·508	2·423	2·355	2·255	2·183	1·984	1·733
25	4·242	3·385	2·991	2·759	2·603	2·490	2·405	2·337	2·236	2·165	1·964	1·711
26	4·225	3·369	2·975	2·743	2·587	2·474	2·388	2·321	2·220	2·148	1·946	1·691
27	4·210	3·354	2·960	2·728	2·572	2·459	2·373	2·305	2·204	2·132	1·930	1·672
28	4·196	3·340	2·947	2·714	2·558	2·445	2·359	2·291	2·190	2·118	1·915	1·654
29	4·183	3·328	2·934	2·701	2·545	2·432	2·346	2·278	2·177	2·104	1·901	1·638
30	4·171	3·316	2·922	2·690	2·534	2·421	2·334	2·266	2·165	2·092	1·887	1·622
32	4·149	3·295	2·901	2·668	2·512	2·399	2·313	2·244	2·142	2·070	1·864	1·594
34	4·130	3·276	2·883	2·650	2·494	2·380	2·294	2·225	2·123	2·050	1·843	1·569
36	4·113	3·259	2·866	2·634	2·477	2·364	2·277	2·209	2·106	2·033	1·824	1·547
38	4·098	3·245	2·852	2·619	2·463	2·349	2·262	2·194	2·091	2·017	1·808	1·527
40	4·085	3·232	2·839	2·606	2·449	2·336	2·249	2·180	2·077	2·003	1·793	1·509
60	4·001	3·150	2·758	2·525	2·368	2·254	2·167	2·097	1·993	1·917	1·700	1·389
120	3·920	3·072	2·680	2·447	2·290	2·175	2·087	2·016	1·910	1·834	1·608	1·254
∞	3·841	2·996	2·605	2·372	2·214	2·099	2·010	1·938	1·831	1·752	1·517	1·000

51

Tables of the Studentized Range, $\alpha = 0.10$

Denominator df	Numerator																		
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	8.93	13.44	16.36	18.49	20.15	21.50	22.64	23.62	24.48	25.24	25.92	26.54	27.10	27.62	28.10	28.54	28.96	29.35	29.71
2	4.13	5.73	6.77	7.54	8.14	8.63	9.05	9.41	9.73	10.01	10.26	10.49	10.70	10.90	11.07	11.24	11.40	11.54	11.68
3	3.33	4.47	5.20	5.74	6.16	6.51	6.81	7.06	7.29	7.49	7.67	7.83	7.98	8.12	8.25	8.37	8.48	8.58	8.68
4	3.02	3.98	4.59	5.04	5.39	5.68	5.93	6.14	6.33	6.49	6.65	6.78	6.91	7.03	7.13	7.23	7.33	7.41	7.50
5	2.85	3.72	4.26	4.66	4.98	5.24	5.46	5.65	5.82	5.97	6.10	6.22	6.34	6.44	6.54	6.63	6.71	6.79	6.86
6	2.75	3.56	4.07	4.44	4.73	4.97	5.17	5.34	5.50	5.64	5.76	5.88	5.98	6.08	6.16	6.25	6.33	6.40	6.47
7	2.68	3.45	3.93	4.28	4.56	4.78	4.97	5.14	5.28	5.41	5.53	5.64	5.74	5.83	5.91	5.99	6.06	6.13	6.20
8	2.63	3.37	3.83	4.17	4.43	4.65	4.83	4.99	5.13	5.25	5.36	5.46	5.56	5.64	5.72	5.80	5.87	5.94	6.00
9	2.59	3.32	3.76	4.08	4.34	4.55	4.72	4.87	5.01	5.13	5.23	5.33	5.42	5.51	5.58	5.66	5.72	5.79	5.85
10	2.56	3.27	3.70	4.02	4.26	4.47	4.64	4.78	4.91	5.03	5.13	5.23	5.32	5.40	5.47	5.54	5.61	5.67	5.73
11	2.54	3.23	3.66	3.97	4.21	4.40	4.57	4.71	4.84	4.95	5.05	5.15	5.23	5.31	5.38	5.45	5.51	5.57	5.63
12	2.52	3.20	3.62	3.92	4.16	4.35	4.51	4.65	4.78	4.89	4.99	5.08	5.16	5.24	5.31	5.37	5.44	5.50	5.55
13	2.50	3.18	3.59	3.89	4.12	4.30	4.46	4.60	4.72	4.83	4.93	5.02	5.10	5.18	5.25	5.31	5.37	5.43	5.48
14	2.49	3.16	3.56	3.85	4.08	4.27	4.42	4.56	4.68	4.79	4.88	4.97	5.05	5.12	5.19	5.26	5.32	5.37	5.43
15	2.48	3.14	3.54	3.83	4.05	4.24	4.39	4.52	4.64	4.75	4.84	4.93	5.01	5.08	5.15	5.21	5.27	5.32	5.38
16	2.47	3.12	3.52	3.80	4.03	4.21	4.36	4.49	4.61	4.71	4.81	4.89	4.97	5.04	5.11	5.17	5.23	5.28	5.33
17	2.46	3.11	3.50	3.78	4.00	4.18	4.33	4.46	4.58	4.68	4.77	4.86	4.93	5.01	5.07	5.13	5.19	5.24	5.30
18	2.45	3.10	3.49	3.77	3.98	4.16	4.31	4.44	4.55	4.65	4.75	4.83	4.91	4.98	5.04	5.10	5.16	5.21	5.26
19	2.45	3.09	3.47	3.75	3.97	4.14	4.29	4.42	4.53	4.63	4.72	4.80	4.88	4.95	5.01	5.07	5.13	5.18	5.23
20	2.44	3.08	3.46	3.74	3.95	4.12	4.27	4.40	4.51	4.61	4.70	4.78	4.86	4.92	4.99	5.05	5.10	5.16	5.21
21	2.43	3.07	3.45	3.72	3.94	4.11	4.26	4.38	4.49	4.59	4.68	4.76	4.83	4.90	4.97	5.02	5.08	5.13	5.18
22	2.43	3.06	3.44	3.71	3.92	4.10	4.24	4.36	4.47	4.57	4.66	4.74	4.81	4.88	4.94	5.00	5.06	5.11	5.16
23	2.42	3.05	3.43	3.70	3.91	4.08	4.23	4.35	4.46	4.56	4.64	4.72	4.80	4.86	4.93	4.98	5.04	5.09	5.14
24	2.42	3.05	3.42	3.69	3.90	4.07	4.21	4.34	4.45	4.54	4.63	4.71	4.78	4.85	4.91	4.97	5.02	5.07	5.12
25	2.42	3.04	3.42	3.68	3.89	4.06	4.20	4.32	4.43	4.53	4.61	4.69	4.77	4.83	4.89	4.95	5.00	5.06	5.10
26	2.41	3.04	3.41	3.68	3.88	4.05	4.19	4.31	4.42	4.52	4.60	4.68	4.75	4.82	4.88	4.94	4.99	5.04	5.09
27	2.41	3.03	3.40	3.67	3.87	4.04	4.18	4.30	4.41	4.50	4.59	4.67	4.74	4.80	4.87	4.92	4.98	5.03	5.07
28	2.41	3.03	3.40	3.66	3.87	4.03	4.17	4.29	4.40	4.49	4.58	4.66	4.73	4.79	4.85	4.91	4.96	5.01	5.06
29	2.40	3.02	3.39	3.65	3.86	4.02	4.16	4.28	4.39	4.48	4.57	4.65	4.72	4.78	4.84	4.90	4.95	5.00	5.05
30	2.40	3.02	3.39	3.65	3.85	4.02	4.16	4.28	4.38	4.47	4.56	4.64	4.71	4.77	4.83	4.89	4.94	4.99	5.03
40	2.38	2.99	3.35	3.61	3.80	3.96	4.10	4.22	4.32	4.41	4.49	4.56	4.63	4.69	4.75	4.81	4.86	4.90	4.95
60	2.36	2.96	3.31	3.56	3.76	3.91	4.04	4.16	4.25	4.34	4.42	4.49	4.56	4.62	4.68	4.73	4.78	4.82	4.86
80	2.35	2.95	3.29	3.54	3.73	3.89	4.01	4.13	4.22	4.31	4.39	4.46	4.52	4.58	4.64	4.69	4.74	4.78	4.82
120	2.34	2.93	3.28	3.52	3.71	3.86	3.99	4.10	4.19	4.28	4.35	4.42	4.49	4.54	4.60	4.65	4.69	4.74	4.78
240	2.34	2.92	3.26	3.50	3.68	3.83	3.96	4.07	4.16	4.24	4.32	4.39	4.45	4.51	4.56	4.61	4.65	4.70	4.74
∞	2.33	2.90	3.24	3.48	3.66	3.81	3.93	4.04	4.13	4.21	4.29	4.35	4.41	4.47	4.52	4.57	4.61	4.65	4.69

Tables of the Studentized Range, $\alpha = 0.05$

Denominator df	Numerator																		
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	17.97	26.98	32.82	37.08	40.41	4.12	45.40	47.36	49.07	50.59	51.96	53.19	54.32	55.36	56.32	57.21	58.04	58.82	59.56
2	6.09	8.33	9.80	10.88	11.73	12.44	13.03	13.54	13.40	14.39	17.75	15.08	15.38	15.65	15.91	16.14	16.37	16.58	16.77
3	4.50	5.91	6.83	7.50	8.04	8.48	8.86	9.18	9.47	9.72	9.95	10.16	10.35	10.52	10.69	10.84	10.98	11.11	11.24
4	3.93	5.04	5.76	6.29	6.71	7.05	7.35	7.60	7.83	8.03	8.21	8.37	8.52	8.66	8.79	8.91	9.03	9.13	9.23
5	3.64	4.60	5.22	5.67	6.03	6.33	6.58	6.80	7.00	7.17	7.32	7.47	7.60	7.72	7.83	7.93	8.03	8.12	8.21
6	3.46	4.34	4.90	5.31	5.63	5.90	6.12	6.32	6.49	6.65	6.79	6.92	7.03	7.14	7.24	7.34	7.43	7.51	7.59
7	3.34	4.17	4.68	5.06	5.36	5.61	5.82	6.00	6.16	6.30	6.43	6.55	6.66	6.76	6.85	6.94	7.02	7.10	7.17
8	3.26	4.04	4.53	4.89	5.17	5.40	5.60	5.77	5.92	6.05	6.18	6.29	6.39	6.48	6.57	6.65	6.73	6.80	6.87
9	3.20	3.95	4.42	4.76	5.02	5.24	5.43	5.60	5.74	5.87	5.98	6.09	6.19	6.28	6.36	6.44	6.51	6.58	6.64
10	3.15	3.88	4.33	4.65	4.91	5.12	5.30	5.46	5.60	5.72	5.83	5.94	6.03	6.11	6.19	6.27	6.34	6.41	6.47
11	3.11	3.82	4.26	4.57	4.82	5.03	5.20	5.35	5.49	5.61	5.71	5.81	5.90	5.98	6.06	6.13	6.20	6.27	6.33
12	3.08	3.77	4.20	4.51	4.75	4.95	5.12	5.27	5.40	5.51	5.62	5.71	5.80	5.88	5.95	6.02	6.09	6.15	6.21
13	3.06	3.73	4.15	4.45	4.69	4.88	5.05	5.19	5.32	5.43	5.53	5.63	5.71	5.79	5.86	5.93	6.00	6.06	6.11
14	3.03	3.70	4.11	4.41	4.64	4.83	4.99	5.13	5.25	5.36	5.46	5.55	5.64	5.71	5.79	5.85	5.92	5.97	6.03
15	3.01	3.67	4.08	4.37	4.60	4.78	4.94	5.08	5.20	5.31	5.40	5.49	5.57	5.65	5.72	5.79	5.85	5.90	5.96
16	3.00	3.65	4.05	4.33	4.56	4.74	4.90	5.03	5.15	5.26	5.35	5.44	5.52	5.59	5.66	5.73	5.79	5.84	5.90
17	2.98	3.63	4.02	4.30	4.52	4.71	4.86	4.99	5.11	5.21	5.31	5.39	5.47	5.54	5.61	5.68	5.73	5.79	5.84
18	2.97	3.61	4.00	4.28	4.49	4.67	4.82	4.96	5.07	5.17	5.27	5.35	5.43	5.50	5.57	5.63	5.69	5.74	5.79
19	2.96	3.59	3.98	4.25	4.47	4.65	4.79	4.92	5.04	5.14	5.23	5.31	5.39	5.46	5.53	5.59	5.65	5.70	5.75
20	2.95	3.58	3.96	4.23	4.45	4.62	4.77	4.90	5.01	5.11	5.20	5.28	5.36	5.43	5.49	5.55	5.61	5.66	5.71
21	2.94	3.57	3.94	4.21	4.42	4.60	4.74	4.87	4.98	5.08	5.17	5.25	5.33	5.40	5.46	5.52	5.58	5.63	5.68
22	2.93	3.55	3.93	4.20	4.41	4.58	4.72	4.85	4.96	5.06	5.14	5.23	5.30	5.37	5.43	5.49	5.55	5.60	5.65
23	2.93	3.54	3.91	4.18	4.39	4.56	4.70	4.83	4.94	5.03	5.12	5.20	5.27	5.34	5.41	5.46	5.52	5.57	5.62
24	2.92	3.53	3.90	4.17	4.37	4.54	4.68	4.81	4.92	5.01	5.10	5.18	5.25	5.32	5.38	5.44	5.49	5.55	5.59
25	2.91	3.52	3.89	4.15	4.36	4.53	4.67	4.79	4.90	4.99	5.08	5.16	5.23	5.30	5.36	5.42	5.47	5.52	5.57
26	2.91	3.51	3.88	4.14	4.35	4.51	4.65	4.77	4.88	4.98	5.06	5.14	5.21	5.28	5.34	5.40	5.45	5.50	5.55
27	2.90	3.51	3.87	4.13	4.33	4.50	4.64	4.76	4.86	4.96	5.04	5.12	5.19	5.26	5.32	5.38	5.43	5.48	5.53
28	2.90	3.50	3.86	4.12	4.32	4.49	4.63	4.75	4.85	4.94	5.03	5.11	5.18	5.24	5.30	5.36	5.41	5.46	5.51
29	2.89	3.49	3.85	4.11	4.31	4.48	4.61	4.73	4.84	4.93	5.01	5.09	5.16	5.23	5.29	5.34	5.40	5.45	5.49
30	2.89	3.49	3.85	4.10	4.30	4.46	4.60	4.72	4.82	4.92	5.00	5.08	5.15	5.21	5.27	5.33	5.38	5.43	5.48
40	2.86	3.44	3.79	4.04	4.23	4.39	4.52	4.63	4.74	4.82	4.90	4.98	5.04	5.11	5.16	5.22	5.27	5.31	5.36
60	2.83	3.40	3.74	3.98	4.16	4.31	4.44	4.55	4.65	4.73	4.81	4.88	4.94	5.00	5.06	5.11	5.15	5.20	5.24
80	2.81	3.38	3.71	3.95	4.13	4.28	4.40	4.51	4.60	4.69	4.76	4.83	4.89	4.95	5.00	5.05	5.10	5.14	5.18
120	2.80	3.36	3.69	3.92	4.10	4.24	4.36	4.47	4.56	4.64	4.71	4.78	4.84	4.90	4.95	5.00	5.04	5.09	5.13
240	2.79	3.34	3.66	3.89	4.06	4.21	4.32	4.43	4.52	4.60	4.67	4.73	4.79	4.85	4.90	4.94	4.99	5.03	5.07
∞	2.77	3.31	3.63	3.86	4.03	4.17	4.29	4.39	4.47	4.55	4.62	4.69	4.74	4.80	4.85	4.89	4.93	4.97	5.01

Tables of the Studentized Range, α = 0.01

Denominator df	Numerator																		
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	90.02	135.04	164.26	185.58	202.21	215.77	228.17	236.97	245.54	253.15	259.98	266.17	271.81	277.00	281.80	286.26	290.43	294.33	298.00
2	14.04	19.02	22.29	24.72	26.63	28.20	29.53	30.68	31.69	32.59	33.40	34.13	34.81	35.43	36.00	36.53	37.03	37.50	37.94
3	8.26	10.62	12.17	13.32	14.24	15.00	15.64	16.20	16.69	17.13	17.53	17.89	18.22	18.52	18.81	19.07	19.32	19.55	19.77
4	6.51	8.12	9.17	9.96	10.59	11.10	11.54	11.93	12.26	12.57	12.84	13.08	13.32	13.53	13.73	13.91	14.08	14.24	14.39
5	5.70	6.98	7.80	8.42	8.91	9.32	9.67	9.97	10.24	10.48	10.70	10.89	11.08	11.24	11.40	11.55	11.68	11.81	11.93
6	5.24	6.33	7.03	7.56	7.97	8.32	8.61	8.87	9.10	9.30	9.49	9.65	9.81	9.95	10.08	10.21	10.33	10.43	10.54
7	4.95	5.92	6.54	7.01	7.37	7.68	7.94	8.17	8.37	8.55	8.71	8.86	9.00	9.12	9.24	9.35	9.46	9.55	9.65
8	4.75	5.64	6.20	6.63	6.96	7.24	7.47	7.68	7.86	8.03	8.18	8.31	8.44	8.55	8.66	8.76	8.85	8.94	9.03
9	4.60	5.43	5.96	6.35	6.66	6.92	7.13	7.33	7.49	7.65	7.78	7.91	8.03	8.13	8.23	8.33	8.41	8.50	8.57
10	4.48	5.27	5.77	6.14	6.43	6.67	6.88	7.05	7.21	7.36	7.49	7.60	7.71	7.81	7.91	7.99	8.08	8.15	8.23
11	4.39	5.15	5.62	5.97	6.25	6.48	6.67	6.84	6.99	7.13	7.25	7.36	7.46	7.56	7.65	7.73	7.81	7.88	7.95
12	4.32	5.05	5.50	5.84	6.10	6.32	6.51	6.67	6.81	6.94	7.06	7.17	7.27	7.36	7.44	7.52	7.59	7.66	7.73
13	4.26	4.96	5.40	5.73	5.98	6.19	6.37	6.53	6.67	6.79	6.90	7.01	7.10	7.19	7.27	7.35	7.42	7.48	7.55
14	4.21	4.90	5.32	5.63	5.88	6.09	6.26	6.41	6.54	6.66	6.77	6.87	6.96	7.05	7.13	7.20	7.27	7.33	7.39
15	4.17	4.84	5.25	5.56	5.80	5.99	6.16	6.31	6.44	6.56	6.66	6.76	6.85	6.93	7.00	7.07	7.14	7.20	7.26
16	4.13	4.79	5.19	5.49	5.72	5.92	6.08	6.22	6.35	6.46	6.56	6.66	6.74	6.82	6.90	6.97	7.03	7.09	7.15
17	4.10	4.74	5.14	5.43	5.66	5.85	6.01	6.15	6.27	6.38	6.48	6.57	6.66	6.73	6.81	6.87	6.94	7.00	7.05
18	4.07	4.70	5.09	5.38	5.60	5.79	5.94	6.08	6.20	6.31	6.41	6.50	6.58	6.66	6.73	6.79	6.85	6.91	6.97
19	4.05	4.67	5.05	5.33	5.55	5.74	5.89	6.02	6.14	6.25	6.34	6.43	6.51	6.59	6.65	6.72	6.78	6.84	6.89
20	4.02	4.64	5.02	5.29	5.51	5.69	5.84	5.97	6.09	6.19	6.29	6.37	6.45	6.52	6.59	6.65	6.71	6.77	6.82
21	4.00	4.61	4.99	5.26	5.47	5.65	5.79	5.92	6.04	6.14	6.23	6.32	6.40	6.47	6.53	6.60	6.66	6.71	6.76
22	3.99	4.59	4.96	5.23	5.44	5.61	5.75	5.88	5.99	6.10	6.19	6.27	6.35	6.42	6.48	6.54	6.60	6.66	6.71
23	3.97	4.57	4.93	5.20	5.40	5.57	5.72	5.84	5.96	6.05	6.14	6.23	6.30	6.37	6.44	6.50	6.55	6.61	6.66
24	3.96	4.55	4.91	5.17	5.37	5.54	5.69	5.81	5.92	6.02	6.11	6.19	6.26	6.33	6.39	6.45	6.51	6.56	6.61
25	3.94	4.53	4.89	5.14	5.35	5.51	5.66	5.78	5.89	5.98	6.07	6.15	6.22	6.29	6.36	6.41	6.47	6.52	6.57
26	3.93	4.51	4.87	5.12	5.32	5.49	5.63	5.75	5.86	5.95	6.04	6.12	6.19	6.26	6.32	6.38	6.43	6.48	6.53
27	3.92	4.50	4.85	5.10	5.30	5.46	5.60	5.72	5.83	5.92	6.01	6.09	6.16	6.23	6.29	6.34	6.40	6.45	6.50
28	3.91	4.48	4.83	5.08	5.28	5.44	5.58	5.70	5.80	5.90	5.98	6.06	6.13	6.20	6.26	6.31	6.37	6.42	6.47
29	3.90	4.47	4.81	5.06	5.26	5.42	5.56	5.67	5.78	5.87	5.96	6.03	6.10	6.17	6.23	6.29	6.34	6.39	6.44
30	3.89	4.46	4.80	5.05	5.24	5.40	5.54	5.65	5.76	5.85	5.93	6.01	6.08	6.14	6.20	6.26	6.31	6.36	6.41
40	3.83	4.37	4.70	4.93	5.11	5.27	5.39	5.50	5.60	5.69	5.76	5.84	5.90	5.96	6.02	6.07	6.12	6.17	6.21
60	3.76	4.28	4.59	4.82	4.99	5.13	5.25	5.36	5.45	5.53	5.60	5.67	5.73	5.78	5.84	5.89	5.93	5.97	6.02
80	3.73	4.24	4.55	4.76	4.93	5.07	5.19	5.28	5.37	5.45	5.52	5.59	5.64	5.70	5.75	5.80	5.84	5.88	5.92
120	3.70	4.20	4.50	4.71	4.87	5.01	5.12	5.21	5.30	5.38	5.44	5.51	5.56	5.61	5.66	5.71	5.75	5.79	5.83
240	3.67	4.16	4.45	4.66	4.81	4.94	5.05	5.15	5.23	5.30	5.37	5.43	5.48	5.53	5.58	5.62	5.66	5.70	5.74
∞	3.64	4.12	4.40	4.60	4.76	4.88	4.99	5.08	5.16	5.23	5.29	5.35	5.40	5.45	5.49	5.54	5.57	5.61	5.65